

Client 1: Mr P

Mr P had a wound 6 months ago that healed within 3 months.

He has attended clinic appointments every 3 months and has been controlling his diabetes well.

He has good support of his family and is not working.

He has returned to the clinic today as he feels that the skin is breaking again.

He has good blood supply but poor sensation. He is wearing sports shoes, but they are very tight.

His wound is classified as Stage A, grade 0.



1



Client 2: Mr P

Mr P is a retired seafarer. He is 65 years old. He lives with his wife and his son who has 6 children. His son has brought him to the health clinic because he has had a wound under his right heel for 6 months.

He has been using his own local pandanas medicine on the wound. He does not remember how the wound started. He lives on an outer island 2 days by boat from the central hospital.

He has some sandals that he wears occasionally but mostly he walks barefoot.

He enjoys playing cards and helping out with church activities.



2



Client 3: Mrs L

Mrs L is a mother of 3 children. She is 30 years old.

She has come to the diabetes clinic for the first time in 1 year and has a wound on her foot.



Mrs L wears flip flops occasionally; however she usually walks barefoot and does not have any other shoes.

She lives 5 km from the hospital and has to take public transport to come to the hospital. She is the sole carer for her children as her husband is a seafare

She has type 1 diabetes, controlled with insulin however often she runs out and cannot get to the hospital to get more.

o the hospital to get more.

3







